

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.ny.gov>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: June 12, 2012

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Ruth K. Quezada
Purchasing Officer I
(518) 474-5120
ruth.quezada@ogs.ny.gov

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.ny.gov

SUBJECT: RECALL NOTICE – GAS CYLINDERS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Cylinders Wisconsin, LLC, of Chilton, Wis., has issued a recall for Map Pro, Propylene and MAPP Gas Cylinders, manufactured in United States. The seal on the cylinders can leak after torches or other fuel consuming equipment are disconnected from them, posing a fire hazard.

The recall involves 14.1 oz Map-Pro, 14.1 oz Propylene or 16 oz MAPP (Methyl Acetylene Propadiene Stabilized). The cylinders are approximately 3” in diameter and 11” tall and are either yellow or black in color. They were sold alone and in kits that include a torch and a cylinder. The cylinders and torch kits have a variety of labels, including:

ACE	HOTERY	RONA
ASCO	Jones Stephens Corp	ROTHENBERGER
BENCHMARK®	LENOX®	SUPER-EGO
BERNZOMATIC®	Mag-Torch®	SureFire™
CRAFTSMAN®	MAGNA®	TurboTorch®
EMC	Mastercraft® and TURNER®	UNIWELD®
EXPRESS	Master Mechanic®	WORTHINGTON MAPP® GAS
Firepower®	MAPP	WORTHINGTON MAP/Pro™
GENTEC®	NAPA BERNZOMATIC®	WORTHINGTON PROPYLENE
GOSS®	PREST-O-LITE®	

Continue

The recalled items were sold by various plumbing/HVAC distributors, Home Depot, Lowes and Ace Hardware Stores nationwide and in Canada from October 2004 through January 2012 for about \$7 to 13 for cylinders and \$45 to 75 for the torch kits.

Consumers should follow the appropriate **remedy**:

Unused cylinders: If the cylinder has never been connected to a torch or other device, do not use cylinder. Return cylinder to store where it was purchased for exchange or full refund.

Partially-used cylinder currently connected to torch or other device: Do not disconnect torch or other device. Take outdoors and ignite the torch and burn off entire contents* of the cylinder. Disconnect the torch from empty cylinder and dispose of empty cylinder per cylinder label instructions or return it to store where it was purchased for exchange or a full refund.

Partially-used cylinder NOT connected to a torch or other device now: Take cylinder outdoors. Leak test top of the cylinder with soapy water. If bubbles develop, attach the torch. Ignite the torch and burn off entire contents* of the cylinder. Remove the torch from empty cylinder and dispose of empty cylinder per cylinder label instructions or return it to the store where it was purchased for exchange or a full refund. If no bubbles develop, do not use cylinder. Return it to the store where it was purchased for exchange or a full refund.

*NEVER LEAVE LIT TORCH AND CYLINDER UNATTENDED. USE TORCH ONLY IN A WELL-VENTILATED AREA.

For additional information, contact Worthington Cylinders Wisconsin toll free at (866) 511-8967 between 7 a.m. and 7 p.m. ET Monday through Friday, email the manufacturer at MapCylinderRecall@WorthingtonIndustries.com or go to www.MAPCylinderRecall.com

To see this recall on CPSC's website, including pictures of the recalled products, please go to:
<http://www.cpsc.gov/CPSCPUB/PREREL/prhtml12/12117.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract. Due to the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: February 8, 2010

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Ruth K. Quezada
Purchasing Officer I
(518) 474-5120
ruth.quezada@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – SURGEMASTER™ SURGE PROTECTORS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Belkin International Inc., of Compton, Calif., has issued a recall for SurgeMaster™ Surge Protectors, manufactured in China. The molding of the plastic 360 degree rotating plug, which allows for easy cord movement, can crack or detach from the plug assembly, posing a shock hazard to consumers.

The recall involves the SurgeMaster™ Surge Protector, models F9G930-10, F9G930v10, F9G930-10-W and F9G930-10-SN, all manufactured in 2003. The model number and date of manufacture are located on the underside of the unit. Grey models F9G930-10-GRY and F9G930fc10G-CL are not a part of this recall.

The recalled items were sold by Independent distributors nationwide and the internet by www.belkin.com from September 2003 through December 2007 for about \$50.

Consumers should stop using the recalled power strips immediately and contact Belkin for a new replacement unit.

For more information, contact Belkin toll-free at 800-952-1465 between 9 a.m. and 5 p.m. PT Monday through Friday or visit the firm's Web site at <http://www.belkin.com/support/surgemaster/exchange/info.aspx>

To see this recall on CPSC's website, including pictures of the recalled products, please go to:
<http://www.cpsc.gov/cpscpub/prerel/prhtml10/10024.html>

Continue

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract. Due to the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: February 8, 2010

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Ruth K. Quezada
Purchasing Officer I
(518) 474-5120
ruth.quezada@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

**SUBJECT: REISSUED RECALL NOTICE OF PRESSURE WASHERS AND AIR
COMPRESSORS**

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

DeVilbiss Air Power Company, of Jackson, Tenn. has reissued a recall for DeVilbiss Air Power Company Pressure Washers and Air Compressors, manufactured in the United States. The recalled pressure washers and air compressors have pneumatic tires with plastic hubs that can burst, posing fracture and laceration hazards to consumers. The recalled pressure washers and air compressors were previously recalled in December 2006.

The pressure washers' brand, model number and manufacturing date are located on the name plate on the rear of the engine base. On the air compressors the brand, model number and manufacturing date are located on the front of the motor housing. Only pressure washers and compressors with pneumatic tires with plastic tire hubs are affected; pressure washers and compressors with solid tires or metal tire hubs are not affected.

The recalled pressures washers and air compressors were sold under the following brands and model numbers:

Continue

	Brand	Model Numbers	Manufacture Dates
Pressure washers	Delta	DTH2450, DTH2450-1, D2750H, D2400H-2, D2400H-3, D2700K-1, DTT2450	1/27/04 through 8/3/05
	Excell	XR2750-1, XR2600, XR2600-1, XR2600-2, XR2500-1	1/26/04 through 11/2/05
	Porter-Cable	PCV2250-2, PC2525SP-1, PCE1700-3, PCH2401-1, PCK3030SP-1, PCV2500, PCH2800C, PCE1700-2, PCH2425-2	6/4/04 through 10/24/05
	Pressure-Wave	PWH2500, PWH2500K	1/6/05 through 10/31/05
	Water Driver	WHAB2627-1	6/11/04-7/19/05
Air Compressors	Porter-Cable	CFFR350B-1, C3151-1, C3551-1, PTA51 Service Kit	December 16, 2004 to May 5, 2006

Both of the recalled items were sold at home centers and hardware stores nationwide. Recalled pressure washers were sold from January 2004 through November 2005 for between \$300 and \$1,400. The recalled air compressors were sold between December 2004 and October 2006 for between \$300 and \$500.

Consumers should immediately stop using these products immediately and contact DeVilbiss to obtain the location of the nearest service center to receive a free replacement of the tires.

For additional information, contact DeVilbiss toll-free at (866) 323-9867 between 8 a.m. and 5 p.m. ET Monday through Friday or visit the firm's Web site at <http://www.devap.com/notice.asp>

To see this recall on CPSC's website, including pictures of the recalled products, please go to: <http://www.cpsc.gov/cpscpub/prereel/prhtml10/10007.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract. Due to the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: January 20, 2010

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Ruth K. Quezada
Purchasing Officer I
(518) 474-5120
ruth.quezada@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – REPLACEMENT TORCH FUEL CONTAINERS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Lamplight Farms Inc., of Menomonee Falls, Wis., has issued a recall for Flame Guards on Clear-Vu(r) Torch Fuel Containers, manufactured in China. The recalled torch fuel containers can malfunction and cause the containers to melt while the torch is in use, posing a fire hazard to consumers.

The recall involves Clear-Vu(r) Torch Fuel Containers sold as replacements. "RC" is stamped on the underside of the flame guard. Clear-Vu(r) torch fuel containers that came with torches are not included in this recall.

The recalled items were sold by discount, hardware, and home improvement stores nationwide from January 2008 through August 2009 for between \$1 and \$3.

Consumers should immediately stop using the recalled flame guards on Clear-Vu(r) torch fuel containers and contact Lamplight to receive a free repair kit.

For additional information, contact Lamplight toll-free at (866) 671-7988 between 8 a.m. and 5 p.m. ET Monday through Friday, or visit the firm's Web site at <http://www.lamplight.com/Consumer/ProductRecalls.aspx>

Continue

To see this recall on CPSC's website, including pictures of the recalled products, please go to:
<http://www.cpsc.gov/cpscpub/prere1/prhtml09/09349.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: January 20, 2010

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**
Ruth K. Quezada
Purchasing Officer I
(518) 474-5120
ruth.quezada@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS
Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – TRIMMERS/EDGERS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Black & Decker (U.S.) Inc., of Towson, Md., has issued a recall for Black & Decker GH1000 Grasshog XP String Trimmer/Edgers, manufactured in China. The recalled trimmer/edger's spool, spool cap and pieces of trimmer string can come loose during use and become airborne projectiles, posing a serious laceration hazard to the user, as well as bystanders. The trimmer/edgers can also overheat, posing a burn hazard to consumers.

The Black & Decker GH1000 Grasshog XP String Trimmers/Edgers are electric-powered. Trimmer/edgers with date codes 200546 through 200645 (representing manufacture dates of November 14, 2005 through November 6, 2006) are included in this recall. The date code is located on the underside of the trimmer/edger's handle. Only trimmers with black spool caps are included in the recall. Those with orange spool caps are not included in the recall.

The recalled items were sold by home center and hardware stores nationwide from November 2005 through January 2007 for about \$70.

Consumers should stop using the string trimmers/edgers immediately and contact Black & Decker for a free repair kit.

Continue

For additional information, contact Black & Decker toll-free at (888) 742-9158 between 8 a.m. and 5 p.m. ET Monday through Friday or visit the firm's Web site at <http://www.blackanddecker.com/CustomerCenter/recalls/Recall-GH1000.aspx>

To see this recall on CPSC's website, including pictures of the recalled products, please go to: <http://www.cpsc.gov/cpscpub/prerel/prhtml09/09294.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract. Due to the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: January 20, 2010

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Ruth K. Quezada
Purchasing Officer I
(518) 474-5120
ruth.quezada@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – HEATING SYSTEM THERMOSTATS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

OJ Electronics, of Chicago, Ill., has issued a recall for Heating System Thermostats, manufactured in Denmark. The recalled thermostat's floor sensor or its cable can be damaged from cutting, drilling, or nailing. This poses a risk of electric shock to consumers if the power supply is not disconnected.

The recall involves thermostats that have a built-in GFCI and are designed for use in under-floor heating systems. Thermostats included in the recall are connected to 208-Volt or 240-Volt power supplies (120V units are not included in the recall). They were sold under the brand names of Canisol, Danfoss, Elektra, Momento, OJ Microline, Raychem, Thermosoft, Warmly Yours and Warmup. The brand name is located on the front of the thermostat.

The recalled items were sold by retailers nationwide from January 2004 through December 2008 for between \$150 and \$200.

Consumers should not cut, drill or nail into the heated floor, and contact the manufacturer to arrange for a free in-home repair.

For additional information, contact OJ Electronics at (800) 380-6940 between 9 a.m. and 5 p.m. CT Monday through Friday or visit the firm's Web site at <http://www.ojelectronics.com/Default.aspx?ID=3981>

Continue

To see this recall on CPSC's website, including pictures of the recalled products, please go to:

<http://www.cpsc.gov/cpsc/pub/prere1/prhtml09/09282.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract. Due to the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: November 16, 2009

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Ruth K. Quezada
Purchasing Officer I
(518) 474-5120
ruth.quezada@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – STREAM CLEANERS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Thane International, Inc., of La Quinta, Calif., has issued a recall for H2O Mop Steam Cleaners, manufactured in China. The power cord can unexpectedly wear down and expose the wiring, posing a shock and burn hazard to consumers.

The recalled H2O Mop is an electrically-powered appliance for cleaning a variety of floor surfaces that uses microfiber or disposable cloths on a cleaning head through which steam is dispersed. H2O Mops are white with a purple water tank with the "H2O" and "M" symbol printed on the top of the cleaning head. The model numbers of affected units are 808.092 and OEM-TV-001. This recall only includes H2O Mops with the following reference numbers printed on the label on the back of the product: 200709198 to 200803148 or H20M1000 to M-H20M1198.

The recalled items were sold by retailers nationwide from June 2007 through December 2008 for about \$100.

Consumers should immediately stop using recalled steam cleaners and contact Thane to receive a free repair kit. Thane is sending repair kits to all consumers who purchased recalled units directly from Thane.

For additional information, contact Thane anytime at (800) 485-0017 or visit the firm's Web site at www.h2omopservice.com

Continue

To see this recall on CPSC's website, including pictures of the recalled products, please go to:

<http://www.cpsc.gov/cpsc/pub/prere1/prhtml09/09279.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract. Due to the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: November 02, 2009

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Ruth K. Quezada
Purchasing Officer I
(518) 474-5120
ruth.quezada@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – IN-WALL ELECTRONIC TIMERS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Intermatic Inc., of Spring Grove, Ill., has issued a recall for Intermatic Model ST01 and EI600 In-wall Electronic Timers, manufactured in Mexico. When consumers trying to replace the timer's battery place a metal object through the battery tray slot, the object can reach internal metal contacts, posing a shock hazard to consumers. Consumers should stop using recalled products immediately.

This recall involves the Intermatic in-wall electronic timers with model numbers ST01, ST01C, ST01AC, ST01AC70, ST01C70, ST01CL, EI600C, EI600LAC, EI600LAC8, EI600WC, and EI600WC8. This product is a lamp and appliance timer and typically takes the place of a standard wall switch. The timer is white, off-white, or almond and measures 2 1/2 inches high by 1 3/4 inches wide. Model numbers can be found on the packaging and on the instruction. In-Wall timers are included in this recall if (1) the brand name "Intermatic" is molded on the front of the timer cover door, (2) the timer has only four keypad buttons, and (3) there is no 3-digit date code (e.g. "04C") stamped on the inside of the timer cover door. Timers with a 3-digit date code (e.g. "04C") stamped on the inside of the timer cover door are not included in this recall.

The recalled items were sold by retailers and electrical distributors nationwide from March 2007 through June 2009 for between \$25 and \$45.

Continue

Consumers should not attempt to change the in-wall timer's battery until they receive the repair kit. Consumers should contact Intermatic to obtain a free repair kit with installation instructions.

For additional information, call Intermatic toll-free at (877) 417-4316 anytime or visit the firm's Web site at <http://www.intermatic.com/customer%20service/product%20recalls.aspx>

To see this recall on CPSC's website, including pictures of the recalled products, please go to: <http://www.cpsc.gov/cpscpub/prere1/prhtml09/09259.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract. Due to the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: November 02, 2009

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Ruth K. Quezada
Purchasing Officer I
(518) 474-5120
ruth.quezada@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – FRAMING NAILERS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

DEWALT Industrial Tool Co., of Towson, Md., has issued a recall for framing nailers, manufactured in Mexico. The bump action trigger on the framing nailers could have been incorrectly assembled during production, which would allow the nailer to eject a fastener unexpectedly or cause the trigger lock-off not to function. Consumers should stop using recalled products immediately.

This recall involves DEWALT framing nailers with model numbers and date codes listed below:

Model Number	Description	Date Code Range
D51825	Clipped Head Framing Nailer	20080249-20082749
D51850	Full Round Head Framing Nailer	20080249-20082749

The recalled items were sold by wholesale distributors and retailers nationwide from January 2008 through September 2008 for about \$280.

Continue

Consumers should immediately stop using the framing nailers and contact DEWALT for instructions on receiving a free replacement bump action trigger.

contact DEWALT toll-free at (877) 437-7181 between 8 a.m. and 5 p.m. ET Monday through Friday or visit the firm's Web site at <http://www.dewalt.com/us/articles/article.asp?ID=1691>

To see this recall on CPSC's website, including pictures of the recalled products, please go to:
<http://www.cpsc.gov/cpscpub/prerel/prhtml09/09256.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: August 17, 2009

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**
Ruth K. Quezada
Purchasing Officer I
(518) 474-5120
ruth.quezada@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS
Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – DIGITAL CLAMP METERS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Fluke Corp., of Everett, Wash., has issued a recall notice for their Fluke Digital Clamp Meters, manufactured in China. The meters can fail to give an appropriate voltage reading, resulting in the operator falsely believing the electrical power is off, posing a shock, electrocution, or thermal burn hazard. Consumers should stop using recalled products immediately unless otherwise instructed.

This recall involves Fluke Digital Clamp Meters with model and serial numbers listed below. The model number may be followed by an "A."

Model No. Starting With	Serial No. Starting with	Serial No. Ending In
Fluke-333 (including 333A)	97010000	98880240
Fluke-334 (including 334A)	97010000	98870101
Fluke-335 (including 335A)	97010000	98860104
Fluke-336 (including 336A)	96220000	98900400
Fluke-337 (including 337A)	96070000	98890607

Continue

Serial numbers that begin with “S” or are followed by “R” are not included in the recall. “Fluke” and the model number are printed on the front of the unit and the serial number on the back. The instrument body is yellow, red, and black. The clamp meters measure 0 to 600 volts alternating current (VAC), 0 to 600 volts direct current (VDC) and 0 to 400, 600 or 1000 amps alternating current.

The recalled items were sold by Industrial distributors, electrical wholesalers and some hardware stores nationwide from January 2008 through February 2009 for between \$150 and \$375.

Consumers should stop using these recalled Digital Clamp Meters immediately and contact Fluke for a free replacement clamp meter.

For additional information, contact Fluke toll-free at (888) 983-5853 between 7 a.m. and 4 p.m. PT Monday through Friday or visit the firm’s website at <http://us.fluke.com/usen/Support/Safety/33X-Recall.htm>

To see this recall on CPSC's website, including pictures of the recalled products, please go to:
<http://www.cpsc.gov/cpscpub/prerel/prhtml09/09222.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: August 14, 2009

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**
Ruth K. Quezada
Purchasing Officer I
(518) 474-5120
ruth.quezada@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS
Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – PAINT SPRAYERS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Wagner Spray Tech Corp., of Plymouth, Minn., has issued a recall notice for their paint sprayers, manufactured in China. The on-off switch can be dislodged from the casing, resulting in exposure of electrical connections. This can pose an electrical shock hazard.

This recall includes the Wagner Control Spray Plus Model 0414248. This model number can be found on a white label located on the side of the motor housing. The following date codes are affected by this recall and can be found stamped on the bottom of the motor housing near the air hose connection:

	Model Number	Manufactured Date Code
Control Spray Plus	0414248	Y182R thru Y365R
		Z001R thru Z366R
		A001R thru A021R

Continue

The recalled items were sold by Major chain home centers and hardware stores nationwide from August 2007 through April 2009 for about \$99. Due to the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

Consumers should immediately unplug and stop using the sprayers, and contact Wagner for a free repair..

For further information, please contact Wagner toll-free at (888) 925-6244 between 8 a.m. and 4:30 p.m. CT Monday through Friday or visit the firm's web site at www.wagnerspraytech.com

To see this recall on CPSC's website, including pictures of the recalled products, please go to:
<http://www.cpsc.gov/cpscpub/prere1/prhtml09/09210.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: July 24, 2009

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**
Ruth K. Quezada
Purchasing Officer I
(518) 474-5120
ruth.quezada@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS
Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – WALL-MOUNTED RADIATORS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Rettig Belgium NV, of Belgium, has issued a recall notice for Radson Wall-Mounted Radiators, manufactured in Belgium. The radiator can come loose from the wall, and fall on people near it.

The recalled radiators are the Radson Vertical 20 and 21, Radson Kos V21, and Radson Faro V21.

The recalled items were sold by plumbing and heating supply companies from October 2007 through January 2008 for between \$300 and \$700. Due to the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

Consumers should avoid standing or sitting near the recalled radiators and contact their plumbing or heating supplier or Rettig for a free replacement suspension system.

For further information, contact Rettig at (866) 963-1477 between 8 a.m. and 4 p.m. ET Monday through Friday, or visit the firm's Web site www.radson-replacementaction.com

Continue

To see this recall on CPSC's website, including pictures of the recalled products, please go to:
<http://www.cpsc.gov/cpscpub/prere1/prhtml09/09143.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: July 24, 2009

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**
Ruth K. Quezada
Purchasing Officer I
(518) 474-5120
ruth.quezada@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS
Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – DIGITAL TIMERS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Intermatic Inc., of Spring Grove, Ill., has issued a voluntary recall of its DT17 Heavy Duty Digital Timers, manufactured in China. The recalled the recalled timers can have a faulty ground connection, posing a shock hazard to consumers.

The recalled Intermatic DT17 heavy-duty digital timers are lamp and appliance timers. They were packaged as the “DT17C Heavy Duty Digital Timer” and the “DT17C8 Heavy Duty Digital Timer.” The timer is white-colored and measures 3 3/8” tall x 2 5/8” wide x 1 5/8” deep. Only products with date codes of “40Z” through “52Z” or date codes ending in “A,” “B” or “C” are included in the recall. The brand name “Intermatic” is molded on the front of the timer, and the model number (“DT17”) and date code are printed on the back of the timer.

The recalled items were sold at retailers and electrical distributors nationwide from September 2005 through December 2008 for between \$15 and \$25. Due to the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

Continue

Consumers should unplug the timer immediately and contact Intermatic to obtain a free replacement including shipping.

For further information, contact For additional information, call Intermatic at (800) 704-3595 anytime, or visit the firm's Web site at: <http://www.intermatic.com/customer%20service/product%20recalls.aspx>

To see this recall on CPSC's website, including pictures of the recalled products, please go to:
<http://www.cpsc.gov/cpscpub/prerel/prhtml09/09119.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: July 22, 2009

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**
Ruth K. Quezada
Purchasing Officer I
(518) 474-5120
ruth.quezada@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS
Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – RHEEM RECALLS TO REPAIR OIL-FIRED FURNACES

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Rheem Manufacturing Co., of Fort Smith, Ark., has issued a recall notice for the consumer product, Rheem, Ruud and United Refrigeration Oil-Fired Furnaces. The Oil-Fired Furnaces were manufactured in The United States. If the furnace is not properly wired, the oil burner can continue to operate when the blower shuts off, posing a fire hazard to consumers.

The recall involves oil-fired furnaces sold under the Rheem, Ruud and United Refrigeration brands. Only the models beginning with the model numbers listed in the chart below and with date codes ending in 0106 through 5206, 0107 through 5207, or 0108 through 4808 are included in this recall. The model number and date code (designated by the four digits following an "M" in the middle of the serial number) are printed on the unit's rating plate, which is on the left wall of the furnace's interior just above the burner. The rating plate can be found by opening the unit's burner access door, which has slotted openings. The following serial number ranges are included in the recall:

Continue

Model Numbers	Brand & Description
ROBF	Rheem Classic/Ruud Achiever High Efficiency Upflow Oil Furnace
ROPF	Rheem Classic/Ruud Achiever High Efficiency Downflow/Horizontal Oil Furnace
TZoup	United Refrigeration “Thermal Zone” Upflow Oil Furnace
TZODH	United Refrigeration “Thermal Zone” Downflow/ Horizontal Oil Furnace

The products were sold nationwide to consumers from January 2006 through December 2008 as part of installed systems for between \$1,500 and \$10,000. Because of the timeframe in which the items were sold, if purchased, it could have also been under the previous Awards, 2252-G, 4513 and 4513A.

Consumers should immediately contact the contractor who installed the oil furnace to arrange for a free inspection and repair, if necessary.

For more information, contact Rheem at (800) 577-3960 between 8 a.m. and 5 p.m. CT Monday through Friday, or visit the firm’s Web site at <http://www.rheem.com/recalls/>

To see this recall on CPSC's web site, including a picture of the recalled product, please go to: <http://www.cpsc.gov/cpscpub/prerel/prhtml09/09104.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: December 29, 2008

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**
Ruth K. Rohloff
Purchasing Officer I
(518) 474-4576
ruth.rohloff@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS
Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: REANNOUNCED RECALL NOTICE – TORO POWER SWEEP ELECTRIC BLOWERS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

The Toro Company, of Bloomington, Minn., has issued a re-announcement of the recall notice for the consumer product, Toro Power Sweep Electric Blowers, originally recalled on July 26, 2007. The power sweep electric blowers were manufactured in The United States. The blower's impeller, which is a rotating component on the blower, can break, resulting in pieces of plastic flying out of the blower. This poses a risk of serious injury to the user or a bystander. Consumers should stop using the recalled blowers immediately and contact Toro to receive a replacement blower.

The recall involves Toro Power Sweep electric blower model 51586, manufactured between 2000 and 2002. The model and serial number are located on a sticker on the left hand side of the blower housing. The recalled units can be identified by a black impeller fan, which can be seen through the air inlet screen on the bottom of the unit. The following serial number ranges are included in the recall:

Continue

Model Numbers	Serial Numbers
51586	000055100 - 000058581
51586	200000001 - 200365313
51586	210000001 - 210284435
51586	220000001 - 220255609

The products were sold through: Toro dealers and various mass retailers nationwide including The Home Depot stores from January 2000 through late December 2002 for about \$32. Because of the timeframe in which the items were sold, if purchased, it could have also been under the previous Awards, 2252-G, 4513 and 4513A.

For more information, contact Toro at (888) 279-3191 between 7:30 a.m. and 7 p.m. CT Monday through Friday or 8 a.m. and 6 p.m. Saturday. Consumers can also visit the Toro web site at www.toro.com. The Toro Company has notified registered owners directly.

To see this recall on CPSC's web site, including a picture of the recalled product, please go to:
<http://www.cpsc.gov/cpscpub/prerel/prhtml09/09062.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: October 14, 2008

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**
Ruth Rohloff
Purchasing Officer I
(518) 474-4576
ruth.rohloff@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS
Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – AUTOMATIC GAS VENT DAMPERS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Effikal LLC, of Orion, M.I., has issued a recall notice for gas vent dampers, manufactured in The United States. The automatic gas vent damper could fail, and if the blocked vent switch does not activate, the vent could leak carbon monoxide (CO). This poses a risk of CO poisoning to consumers. Consumers should immediately stop using the boilers, weather permitting, and contact their installer to confirm they have a recalled vent damper and to receive a free vent damper replacement.

The recall involves Effikal RVGP-PC Gas Vent Damper size 4, 5, 6, 7, 8, 9, or 10 which were installed with the gas boiler systems listed below. The vent damper date code is located on a sticker under the motor assembly cap on the plastic base. Serial numbers are located on a label on the side of the damper's cap. All sizes and models of the RVGP-PC have the same motor assembly with black Effikal caps and black plastic bases.

Continue

Manufacturer	Atmospheric Gas Boiler Models	Vent Damper Date Codes	Vent Damper Serial Numbers
Allied Engineering	MG, MS and SG Series	0728 through 0809	3588428 through 3687571
Burnham	Series 2b, Series 8h, and Independence except Independence PV	0728-0738	3588428-3647820
Crown	AWI, CWI and BSI Series	0728-0809	3588428-3687571
Hydro Therm	R/MR, VGA, VS and HW Series	0728-0809	3588428-3687571
Laars	JV Series	0728-0809	3588428-3687571
Lochinvar	CBN Solution Series	0728-0809	3588428-3687571
RBI	Spectrum Series	0728-0809	3588428-3687571
Smith	GB and HW Series	0728-0809	3588428-3687571
New Yorker	CG and CGS Series	0728-0738	3588428-3647827
Peerless	MI, 63 and GM series	0728-0809	3588428-3687571
Raypak	Series XV-42—180 Series V-181—260 and 182—261 Series VII-133	0728-0809	3588428-3687571
Union Steam	GWA and GSA	0728-0809	3588428-3687571
Weil-McLain	CGa, EG, and PFG Series	0728-0738	3588428-3647830
WilliamsonThermoflo	GWA and GSA's	0728-0738	3588428-3647831

The recalled items were sold by plumbing and heating wholesale distributors to plumbers and contractors nationwide from August 2007 through July 2008 for between \$1,000 and \$4,000 for the boilers. Gas vent dampers were sold as part of the gas boiler systems. Due to the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

For further information, contact Effikal toll-free at (866) 790-3739, or visit the firm's Web site at <http://www.effikal.com/recall/>

To see this recall on CPSC's website, including pictures of the recalled products, please go to: <http://www.cpsc.gov/cpscpub/prereel/prhtml09/09008.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: October 09, 2008

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**
Ruth Rohloff
Purchasing Officer I
(518) 474-4576
ruth.rohloff@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS
Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – VITODENS 200 BOILERS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Viessmann Manufacturing Co. Inc., of Canada, has issued a recall notice for Vitodens 200 boiler, manufactured in Canada. The boiler can leak gas, posing a fire hazard to consumers. Consumers should stop using the boilers immediately weather permitting and contact their certified heating contractor or Viessmann for a free replacement of the boiler's O-ring.

The gas-fired boilers are white, wall-mounted and have "Viessmann" and "Vitodens 200" printed on the exterior in silver letters. The model and serial numbers included in the recall are listed below. The model number is located on the silver rating plate on the side of the boiler. Contact your certified HVAC contractor to open the boiler and locate the serial number on a white label on the side of the boiler, or under the bottom support panel. Vitodens 100 boilers are not included in this recall:

Continue

Model Number	Serial Number	Additional Information
WB2 6-24C	7167063xxxxxxxxx or 7170317xxxxxxxxx	If the serial number's 8th digit (listed in red) is a 2, 3, 4, 5 or 6, the boiler is included in the recall.
WB2 6-24	7167064xxxxxxxxx or 7170318xxxxxxxxx	
WB2 8-32	7167065xxxxxxxxx or 7170319xxxxxxxxx	
WB2 11-44	7167066xxxxxxxxx or 7188578xxxxxxxxx	
WB2 15-60	7167067xxxxxxxxx or 7188577xxxxxxxxx	

The recalled items were sold by plumbing and heating contractors nationwide from January 2002 through December 2007 for between \$4,000 and \$7,500. Due to the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

For further information, contact Viessmann U.S. toll-free at (888) 414-9157, visit the firm's Web site at <http://www.viessmann-us.com/en/services/o-ring.html>

To see this recall on CPSC's website, including pictures of the recalled products, please go to: <http://www.cpsc.gov/cpscpub/prere1/prhtml09/09002.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: October 09, 2008

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Ruth Rohloff
Purchasing Officer I
(518) 474-4576
ruth.rohloff@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – GAS BOILERS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

PB Heat LLC, of Bally, P.A., has issued a recall notice for Gas Boilers, manufactured in The United States. The pressure switch could have an internal defect that could fail to shut down the boilers under vent or air inlet blockage. This switch defect could allow the boilers to produce excessive levels of carbon monoxide, posing a risk of carbon monoxide poisoning to consumers. Consumers who have not already been contacted, should contact their installer immediately for a free safety inspection and repair, if necessary.

This recall involves the DE and PSC II Gas Fired Cast Iron Boilers with the Endura Plastics Model ES2035 pressure switch used for home heating and domestic hot water heating. The boilers were available in either natural or LP gas. The boiler rating label is located on the top jacket panel on Series PSCII models and the left side jacket panel on the Series DE models. The label includes the model and serial number. The following model names and serial numbers are included in the recall:

Model Name	Serial Number
DE-03, DE-04, DE-05 and DE-06	5040768 to 5052860
PSCII-03, PSCII-04, PSCII-05, and PSCII-06	5040777 to 5052166

Continue

The recalled items were sold by plumbing and heating wholesale distributors nationwide from May 2007 through July 2008 for between \$1,800 and \$3,000. Due to the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

For further information, consumers can contact PB Heat toll-free at (877) 257-3300 between 8 a.m. and 4 p.m. ET Monday through Friday or visit the firm's Web site at <http://www.peerlessboilers.com/Products/ProductRecallsUpdates/tabid/93/Default.aspx>

To see this recall on CPSC's website, including pictures of the recalled products, please go to:
<http://www.cpsc.gov/cpscpub/prere1/prhtml08/08397.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: October 09, 2008

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**
Ruth Rohloff
Purchasing Officer I
(518) 474-4576
ruth.rohloff@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS
Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – PORTABLE GARDEN HOSE REEL CARTS AND WAGONS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Rapid Reel(r), of of Lincoln, Neb, has issued a recall notice for Portable Garden Hose Carts, manufactured in China. The tires on the portable garden hose reel can explode while being inflated, posing an injury hazard to consumers. Consumers should not inflate tires on the portable hose carts and contact Rapid Reel(r) for free replacement tires.

This recall involves the Rapid Reel(r) portable garden hose reel carts and wagons. The cart has two tires and the wagon has four. The tires have a white plastic rim and a steel ball bearing hub or a black plastic bearing hub.

The recalled items were sold by home repair retailers and distributors such as Ace Hardware, Amazon.com, and True Value Hardware nationwide from April 2005 through March 2006 for between \$190 and \$250. Due to the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

Continue

For further information, contact Rapid Reel(r) toll-free at (866) 523-2363 between 8 a.m. and 5 p.m. ET Monday through Friday or visit the firm's Web site at http://www.rapidreel.com/Cart/index.php?show_aux_page=57

To see this recall on CPSC's website, including pictures of the recalled products, please go to: <http://www.cpsc.gov/cpscpub/prerel/prhtml08/08384.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: October 08, 2008

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Ruth Rohloff
Purchasing Officer I
(518) 474-4576
ruth.rohloff@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – ELECTRICAL WIRE SPLICES

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

The distributor, Gardner Bender, of Milwaukee, Wis., has issued a recall notice for Electrical Wire Splices (also known as Butt Splice Connectors), manufactured by Molex, of Lisle, Ill. The recalled electrical wire splice were manufactured in The United States. The splice can fail to hold the wires adequately together, posing a shock and fire hazard to consumers. Consumers should immediately stop using products that contain the recalled butt splices and contact the firm for free replacement splices.

The recalled butt splices are used to connect electrical wires to one another. They are typically used for wiring small electrical appliances, like audio equipment, or in automotive applications. The splices are yellow insulated vinyl and measure about one inch long and ¼ inch wide. They were intended for use with 12-10 AWG wire. 12-10 is stamped on the side of the splices. Model numbers 10-126, or 21-126, and Gardner Bender are printed on the product's packaging. They were sold in packages of 8 or 50.

The recalled items were sold at Electrical distributors, hardware stores, and home centers nationwide from June 2005 through April 2008 for between \$1 and \$5. Due to the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

Continue

For further information, contact Gardner Bender at (800) 624-4320 between 8 a.m. and 5 p.m. CT Monday through Friday, or visit the firm's Web site at http://www.gardnerbender.com/pdf/service_support/gb_10-126_recall_poster.pdf

To see this recall on CPSC's website, including pictures of the recalled products, please go to:
<http://www.cpsc.gov/cpscpub/prerel/prhtml08/08367.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: October 03, 2008

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Ruth Rohloff
Purchasing Officer I
(518) 474-4576
ruth.rohloff@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – INDOOR LIGHT FIXTURES

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Progress Lighting, of Greenville, S.C., has issued a recall notice for Ceiling-Mounted Indoor Light Fixtures, manufactured in China. The ceiling-mount assembly that supports the light fixture can fail, causing the fixture to unexpectedly fall and injure consumers. Consumers should carefully remove the glass from the fixture and contact Progress Lighting to schedule a free inspection and replacement.

The recall involves the following models of pendant-style ceiling-mounted light fixtures: P3601-09, P3602-09, P3603-09, P3603-09EXP, P3685-09, P365-09EXP, P4260-09, P4261-09, P4261-09EXP and P4262-09. The product number is located inside the canopy located flush with the ceiling. The fixtures have frosted white glass and a brushed aluminum finish.

The recalled items were sold at electrical/lighting distributors and select Home Depot and Expo Design Centers nationwide from January 2005 through May 2008 for between \$180 and \$1,000. Due to the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

Continue

For further information, contact Progress Lighting toll-free at (877) 369-4548 between 8 a.m. and 5 p.m. ET Monday through Friday or visit the firm's Web site at <http://progresslighting.com/recall.htm>

To see this recall on CPSC's website, including pictures of the recalled products, please go to:
<http://www.cpsc.gov/cpscpub/prerel/prhtml08/08360.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: October 2, 2008

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**
Ruth Rohloff
Purchasing Officer I
(518) 474-4576
ruth.rohloff@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS
Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – CORDLESS BRAD NAILERS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

DEWALT Industrial Tool Co., of Towson, Md., has issued a recall notice for cordless brad nailers, manufactured in Mexico. The nailer can operate when the lock-off (safety) is in the locked position. In addition, the nailer can operate when the trigger is not pulled and the contact trip is depressed. The unexpected ejection of a nail poses a serious injury hazard to consumers. Consumers should stop using the recalled products immediately and contact DEWALT for the location of the nearest service center to receive a free repair.

The recall involves the DEWALT DC608 18 Volt Cordless 2" 18 Gauge Straight Brad Nailer with date codes 200728 through 200821. "DC608" is located on the right side of the magazine. The date code can be found on the underside of the handle, once the battery pack is removed. Units stamped with an "M" following the date code are not included in this recall. The recalled products were sold at wholesale distributors and retailers from October 2007 through May 2008 for about \$280.

Continue

For further information, contact DEWALT toll-free at (866) 220-1481 between 8 a.m. and 5 p.m. ET Monday through Friday, or visit the company's Web site at <http://www.DEWALT.com>
<http://www.dewalt.com/us/articles/article.asp?ID=1633>

To see this recall on CPSC's website, including pictures of the recalled products, please go to:
<http://www.cpsc.gov/cpscpub/prere1/prhtml08/08352.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: October 01, 2008

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**
Ruth Rohloff
Purchasing Officer I
(518) 474-4576
ruth.rohloff@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS
Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – LOG SPLITTER ENGINES

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

American Honda Motor Corp., of Torrance, California, has issued a recall notice for Engines used in SpeeCo and Huskee Brand Log Splitters, manufactured in The United States. The engine's fuel tank can crack and leak, posing a risk of fire or explosion.

Consumers should stop using the recalled products immediately and contact any Honda Lawn and Garden dealer or Honda Engine dealer for a free repair. Registered owners of the recalled log splitters will be mailed a notice.

The recall involves Honda engines (model type GCV160LA N1A) used in Split Master by SpeeCo and Huskee brand log splitters. Only engine serial numbers between 5547012 and 6880908 are included in the recall. The serial number is located below the upper shroud near the oil dip-stick. The following models of log splitters are affected by the recall and are either silver/black or red/black colored.

Huskee Log Splitter	SpeeCo Split Masters
LS401227TS (22 Ton)	LS401228SP (22 Ton)
LS401228NO (27 Ton)	LS401227NO (22 Ton)
	LS401225NO (25 Ton)

Continue

Sold at, outdoor power equipment dealers and Tractor Supply stores nationwide from January 2007 through June 2008 for between \$1,150 and \$1,500. Due to the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

For further information, contact Honda at (800) 426-7701 between 8:30 a.m. and 5 p.m. ET Monday through Friday, or visit the firm's Web site at www.hondapowerequipment.com

To see this recall on CPSC's website, including pictures of the recalled products, please go to:
<http://www.cpsc.gov/cpscpub/prerel/prhtml08/08332.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: August 13, 2008

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**
Ruth Rohloff
Purchasing Officer I
(518) 474-4576
ruth.rohloff@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS
Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – WATER PUMP MOTORS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

A.O. Smith Electrical Products Co., of Tipp City, Ohio has issued a recall notice for water pumps motors, manufactured in Mexico. The water pumps with the recalled motors are labeled as containing a one-horsepower motor, but actually contain a 3/4-horsepower motor. Under certain conditions, the smaller motor could overheat, posing a fire hazard to consumers. Consumers should stop using the recalled products immediately and contact A. O. Smith to arrange for a free replacement of any pumps with affected motors or any affected replacement motors.

The recall involves motors included with lawn sprinkler pumps and jet pumps manufactured by F. E. Myers Co. The recall also includes replacement pump motors that were sold separately. The pump's model number, manufacturing date code and the name "Myers" can be located on the pump's nameplate and packaging. The pump's motor has "A. O. Smith" and model number "C48D52B86" on the motor's nameplate. The replacement motor's packaging has "Myers" and model number "20935A000K" printed on it. Products with an "OK" sticker on the product or packaging are not included in the recall.

Continue

Model Number	Product
QP10	Lawn Sprinkler Pump
QP10B	Lawn Sprinkler Pump with Brass Impeller
HJ100S	Shallow Well Jet Pump
HJ100S-1	Shallow Well Jet Pump with Brass Impeller
HJ100D	Deep Well Jet Pump
HJ100D-LR	Deep Well Jet Pump Less Regulator
HJ100D-1	Deep Well Jet Pump with Brass Impeller
20935A00	Individually Sold Replacement Motor

Sold at, plumbing wholesalers and distributors nationwide to independent contractors and plumbers between August 2007 and May 2008. The water pumps sold for between \$500 and \$750 depending on the model, and the replacement motor sold for between \$300 and \$400.

Due to the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

For further information, contact A. O. Smith at (800) 280-8626 between 8:30 a.m. and 7 p.m. ET Monday through Friday, or visit the firm's Web site at www.regcen.com/pumprecall

To see this recall on CPSC's website, including pictures of the recalled products, please go to: <http://www.cpsc.gov/cpsc/pub/prerel/prhtml08/08309.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: June 25, 2008

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**
Ruth Rohloff
Purchasing Officer I
(518) 474-4576
ruth.rohloff@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS
Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – BOSCH HAMMER DRILLS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Robert Bosch Tool Corp., of Mount Prospect, Ill. has issued a recall notice for the following consumer product, hammer drill, manufactured in Malaysia. The recalled drill can continue to operate after the trigger has been released, posing a risk of injury to consumers. Consumers should stop using the recalled hammer drill immediately and contact the firm for a free repair.

The recalled hammer drill is blue with “BOSCH” printed on the side. The model number 1191VSR can be located on the product nameplate mounted on the side of the motor. The product’s packaging will be marked as 1191VSRK (the “K” indicates that the hammer drill was packaged with a case in a kit). Only drills with a serial number that begins with “7” are included in the recall.

Sold by hardware retailers and industrial distributors nationwide from July 2007 through April 2008 for about \$100. Due to the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

For additional information, contact the Robert Bosch Tool Corp. toll-free at (877) 472-0007 between 7 a.m. and 7 p.m. CT Monday through Friday, or visit the firm’s Web site at:
http://www.boschtools.com/Service/ProductServices/Pages/1191_recall.aspx

Continue

To see this recall on CPSC's website, including pictures of the recalled products, please go to:
<http://www.cpsc.gov/cpscpub/prere1/prhtml08/08303.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: June 24, 2008

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Ruth Rohloff
Purchasing Officer I
(518) 474-4576
ruth.rohloff@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – COUNTERFEIT CIRCUIT BREAKERS LABELED AS “SQUARE D”

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Specialty Lamp International Inc., of Deerfield Beach, Fla. has issued a recall notice for the following consumer product, circuit breakers labeled as “square D”, manufactured in China or Unknown. The recalled circuit breakers labeled "Square D" have been determined by Square D to be counterfeit and can fail to trip when they are overloaded, posing a fire hazard to consumers.

The counterfeit circuit breakers are black and labeled as Square D QO-series models 115, 120, 130, 210, 215, 220, 230, 240, 250, 260, and 2020, and Square D QOB-series 115, 120, 130, 220, 230, 250, 260 and 1515. Actual Square D circuit breakers have (a) the amp rating written on the handle in white paint on the front of the breaker; (b) the Square D insignia molded onto the breaker side, and; (c) a yellow chromate mounting clip with half of the top of the clip visible. If your breaker, labeled as Square D, does not match this description, it could be counterfeit.

Sold by electrical product distributors nationwide from May 2005 through June 2006 for between \$3 and \$23. Due to the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

Continue

Consumers should contact Specialty to determine if the breaker they have is counterfeit and to arrange for a free inspection and replacement or refund if necessary. For additional information, contact Specialty at (866) 650-3076 between 8 a.m. and 5 p.m. ET, by email bart@specialty-lamp.com, or visit the company's Web site at <http://www.ebulb.net>. This is not a Square D Company recall.

To see this recall on CPSC's web site, including pictures of the recalled products, please go to:
<http://www.cpsc.gov/cpscpub/prerel/prhtml08/08286.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: May 16, 2008

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Ruth Rohloff
Purchasing Officer I
(518) 474-4576
ruth.rohloff@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – SHINDAIWA BACKPACK BLOWERS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Importer: Shindaiwa Corp. of Tualatin, OR, has issued a recall notice for the following consumer product, backpack blowers, manufactured by Shindaiwa Kogyo Co. Ltd of Hiroshima, Japan. The blower's impeller (fan) can separate from the base and break apart, causing plastic pieces to be blown out of the machine, and pose a laceration and impact hazard to consumers. The flying pieces also can cause property damage and injury to bystanders. *Note: These backpack blowers were previously recalled due to a fire hazard.* Consumers should stop using the backpack blowers immediately and contact Shindaiwa for the closest dealer location to schedule a free inspection and impeller replacement. Consumers who have registered their equipment should have already received correspondence from Shindaiwa about this recall.

This recall involves Shindaiwa Models EB8510 and EB8510RT. All models up to serial # 7014728 are included. The backpack blowers weigh approximately 24 pounds and include Serial Numbers through February 2007 production (S/N 702XXXX) which are located on the side label. These machines are black and blue with a red and black label that reads, "EB8510, Shindaiwa."

These backpack blowers were sold by Shindaiwa dealers nationwide from September 2005 through January 2007 for about \$600. Due to the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

Continue

For additional information, contact Shindaiwa at (800) 521-7733 between 8:00 a.m. and 4:30 p.m. PT Monday through Friday, or visit the firm's Web site at <http://www.shindaiwa.com/nam/en/support/safety/index.php>

To see this recall on CPSC's web site, including pictures of the recalled products, please go to: <http://www.cpsc.gov/cpsc/pub/prere1/prhtml08/08271.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: May 16, 2008

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Ruth Rohloff
Purchasing Officer I
(518) 474-4576
ruth.rohloff@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – FUEL CELLS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Manufacturer: Paslode, of Vernon Hills, IL, has issued a recall notice for the following consumer product, fuel cells, manufactured in The United States. These fuel cells use to power cordless framing nailers can leak fuel, posing a fire hazard. Consumers should immediately stop using the fuel cells and return them to the place of purchase for a full refund or credit.

This recall involves “Tall Red” fuel cells designed for use in Paslode cordless framing nailers. The fuel cells have part number 81600 printed in the upper right hand corner of the product’s packaging. The recalled fuel cells have the following date and manufacture codes. The “best-use-before” date code is on the bottom of each Fuel Cell. The manufacturing date code is on the outside of the Fuel Cell master carton above the Paslode logo.

Best Use Before:	09 Aug 2009	10 Aug 2009	11 Aug 2009
Manufactured:	11 Feb 2008	12 Feb 2008	13 Feb 2008

These fuel cells were sold by Construction supply and home center stores and by construction supply dealers nationwide from February 2008 through April 2008 for between \$11 and \$14.

Continue

For additional information, contact Paslode at (800) 222-6990 between 7 a.m. and 4:45 p.m. CT Monday through Friday, or visit the firm's Web site at www.paslode.com (PDF). Consumers can also email the firm at productsupport@paslode.com

To see this recall on CPSC's web site, including pictures of the recalled products, please go to:
<http://www.cpsc.gov/cpscpub/prerel/prhtml08/08269.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: April 4, 2008

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Ruth Rohloff
Purchasing Officer I
(518) 474-4576
ruth.rohloff@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – Gas Water Heaters

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Manufacturer: A.O. Smith Water Products Co., of Ashland City, Tenn., has issued a recall notice for the following consumer product, Natural and Propane Gas Water Heaters, manufactured in The United States. The water heater's flue gas temperatures can exceed safe limits and produce excessive temperatures in the venting unit, posing a fire hazard. Also, the water heater's exhaust can leak into the surrounding room, posing a carbon monoxide hazard. Consumers should immediately stop using the recalled water heater and contact A.O. Smith to arrange for a free repair.

This recall involves 75 gallon natural and propane gas water heaters. "A.O. Smith" or "State" is printed on the side of the unit. A.O. Smith and State model and serial numbers included in this recall are listed in the chart below. Model and serial numbers are printed on the water heater's rating plate.

Brand Name	Model Number	Serial Number Ranges
A.O. Smith	FCG-75 300	L07A071460 through L07A144966 or M07A009387 through M07A072884
	FCG-75 301	
	GS6 75 XRR S	
	GS6 75 CRR S	

Continue

These water heaters were sold by Independent contractors and plumbers nationwide from November 2007 through January 2008 for between \$1,000 and \$2,500. Due to the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

For further information, contact A.O. Smith toll-free at (866) 880-4661 between 7 a.m. and 7 p.m. CT, or visit the firm's Web site at <http://www.hotwater.com/recall.html>

To see this recall on CPSC's web site, including pictures of the recalled products, please go to:
<http://www.cpsc.gov/cpscpub/prerel/prhtml08/08241.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: March 27, 2008

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Ruth Rohloff
Purchasing Officer I
(518) 474-4576
ruth.rohloff@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – OUTDOOR CEILING LIGHT FIXTURES

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Progress Lighting, of Greenville, S.C., has issued a recall notice for the following consumer product, Ceiling-Mounted Outdoor Light Fixtures, manufactured in China. A weld that affixes a mounting bracket to the ceiling pan can fail, which can cause the fixture to fall and injure nearby persons. Consumers should stop using recalled products immediately and contact Progress Lighting to schedule a free repair of the lighting fixture.

The recall involves only Progress Lighting ceiling-mounted outdoor light fixtures with model numbers P5526-20 and P5526-44. The light fixtures have three flame-shaped lights inside a beveled glass and solid frame. The fixtures require (3) 60-watt light bulbs. The model numbers are written on the packaging of the product.

These ceiling-mounted outdoor light fixtures were sold at Electrical and lighting distributors nationwide from January 2007 through November 2007 for about \$200. Due to the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

For further information, contact Progress Lighting toll-free at (866) 418-5543 between 8 a.m. and 5 p.m. ET Monday through Friday, or visit the firm's Web site at [http://progresslighting.com/RP08-0267%20poster%20\(3\).pdf](http://progresslighting.com/RP08-0267%20poster%20(3).pdf).

To see this recall on CPSC's web site, including pictures of the recalled products, please go to:
<http://www.cpsc.gov/cpsc/pub/prerel/prhtml08/08228.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: February 26, 2008

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Ruth Rohloff
Purchasing Officer I
(518) 474-4576
ruth.rohloff@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – WALL FURNACES

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Rinnai America Corp., of Peachtree City, Ga., has issued a recall notice for the following consumer product, Direct-Vent Wall Furnaces, manufactured in Japan. A gasket in the unit can fail, posing a risk of poisonous carbon monoxide gas leaking into the home. Consumers should stop using the furnace immediately and contact the firm to arrange for the installation of a free repair kit.

The recall involves Rinnai EnergySaver Direct-Vent Wall Furnaces, Models RHFE 431 and RHFE 556. They are either natural gas or LP gas (propane) fueled. The following model numbers are included in the recall:

Model RHFE-431	FAIII-N	FAIII-P
	WTA-N	WTA-P
	WTA-72B-N	WTA-76B-N
Model RHFE-556	FAIII-N	FAIII-P
	WTA-N	WTA-P

The model number is printed on the top of the rating plate located on the right side of the unit. The recall includes only those units manufactured from February 2000 through December 2007. The manufacturing date code is the first four digits of the serial number, written as YY MM, and is located at the bottom of the rating plate.

These furnaces were sold at wholesale distributors nationwide to contractors and dealers from February 2000 through December 2007 for between \$1,600 and \$1,900. Because of the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

Continued

For further information, contact Rinnai toll-free at (866) 746-8344 anytime, or visit the firm's Web site at www.wallfurnacerecall.com

To see this recall on CPSC's web site, including pictures of the recalled products, please go to: To see this recall on CPSC's web site, including pictures of the recalled product, please go to:
<http://www.cpsc.gov/cpsc/pub/prerel/prhtml08/08199.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

* * * * *

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: February 25, 2008

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Ruth Rohloff
Purchasing Officer I
(518) 474-4576
ruth.rohloff@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – FIBERGLASS EXTENSION LADDERS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Louisville Ladder Inc., of Louisville, Ky., has issued a recall notice for the following consumer product, “Louisville/Davidson” and “Michigan” Brand Fiberglass Extension, manufactured in Mexico. The extension or “fly” section can fail to lock, posing a fall hazard to consumers. Consumers should stop using the ladder immediately and contact Louisville Ladder for instructions on inspecting the ladder and receiving a free repair kit, if necessary.

The recall involves ladders are Type I, IA, or II extension ladders with fiberglass rails and “D” shaped aluminum rungs. The following models are included in the recall:

Louisville/Davidson brand			
534-24	FE1724	FE3228	L-3022-24PT
534-28	FE1728	FE3228-010002	L-3022-28PT
534-32	FE3224	FE3228-740037	L-3022-32PT
534-36	FE3224-E03	FE3228-E03	L-3121-24
534-40	FE3224-E08	FE3228-E03E34	
578-24	FE3224-LO32	FE3232	
578-28		FE3232-E03	
578-32		FE3236	
618-24		FE3240	
618-28			

Continued

Michigan brand			
386124	386128	386132	386136
386140			

The recall involves only models manufactured from September 2007 through October 2007. The model number and the manufacturing date code are located on the left side rail of the ladders. Ladders with two green dots near the bottom of the left side base rail have already been inspected or repaired and are not included in the recall.

These ladders' were sold at Industrial supply stores and home centers nationwide from September 2007 through December 2007 for between \$130 and \$760. Because of the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

For further information, contact Louisville Ladder at (800) 660-4356 between 8 a.m. and 5 p.m. ET Monday through Friday, or visit the firm's Web site at www.louisvilleladder.com

To see this recall on CPSC's web site, including pictures of the recalled products, please go to:
<http://www.cpsc.gov/cpscpub/prerel/prhtml08/08197.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

* * * * *

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: February 05, 2008

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Ruth Rohloff
Purchasing Officer I
(518) 474-4576
ruth.rohloff@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – AIR COMPRESSORS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Campbell Hausfeld, of Harrison, Ohio, has issued a recall notice for the following consumer product, Campbell Hausfeld and Husky Air Compressors, manufactured in China. The protective covers on the compressor's motor are not made from proper flame retardant material and can ignite, posing a fire hazard to consumers. Consumers should stop using the air compressor immediately and contact Campbell Hausfeld for a free repair kit.

The recall involves the following Campbell Hausfeld and Husky brand air compressors:

Capacity	Model Numbers	Serial Numbers
8-15 gallon	HL410100, HL421000 HL421500, HL431500	The first four digits of the serial number indicate a date code from July 2005 (0705) through March 2007 (0307)
4 gallon	HL5402	Have a prefix of HY, KB, or HU followed by a date code from November 2006 (1106) through November 2007 (1107)

The model and serial number are located on the back of the tank.

These air compressor's were sold at Home improvement and hardware stores nationwide from September 2005 through November 2007 for between \$170 and \$200. Because of the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

Continued

For further information, contact Campbell Hausfeld at (800) 241-0448 between 8 a.m. to 5 p.m. ET Monday through Friday, or visit the firm's Web site at <http://www.chpower.com/>

To see this recall on CPSC's web site, including pictures of the recalled products, please go to: To see this recall on CPSC's web site, including pictures of the recalled product, please go to:
<http://www.cpsc.gov/cpscpub/prerel/prhtml08/08181.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

* * * * *

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: February 05, 2008

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Ruth Rohloff
Purchasing Officer I
(518) 474-4576
ruth.rohloff@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – EXHAUST FAN

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

A.O. Smith Electrical Products Co., of Tipp City, Ohio, has issued a recall notice for the following consumer product, Whole-house Exhaust Fan Electric Motors, manufactured in Mexico. The fan's electric motor can be miswired and overheat, posing a fire hazard.

The recalled electric motor is part of a residential whole-house exhaust fan that is typically mounted on the floor of an attic. The shutters of the fan are visible on the ceiling of the floor beneath the attic and must be opened and closed by the consumer. The motors were included with exhaust fans manufactured and distributed by Air Vent Inc. and Triangle Engineering of Arkansas Inc. "A.O. Smith," the model number and the service date code are printed on the rating plate of the motor. The recall includes model numbers S56A30A54 and S56A30A97, and service date codes 032076M - 334076M, 03207JY - 33407JY, and YB07 - YL07. Units that have a sticker indicating that the unit has been rewired are not subject to this recall.

The recalled motors, included with the exhaust fans, were sold at home improvement stores nationwide or by professional installers or builders from February 2007 through November 2007 for about \$3,000. Because of the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

Consumers should stop using the recalled unit immediately and contact A.O. Smith to arrange for a free inspection and repair of the motor. For additional information, contact A.O. Smith toll-free at (866) 567-3878 between 8:30 a.m. and 7 p.m. ET Monday through Friday, or visit the firm's Web site at www.aosmithmotors.com.

To see this recall on CPSC's web site, including pictures of the recalled products, please go to:
<http://www.cpsc.gov/cpsc/pub/prerel/prhtml08/08161.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

* * * * *

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: January 09, 2008

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Ruth Rohloff
Purchasing Officer I
(518) 474-4576
ruth.rohloff@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – COUNTERFEIT CIRCUIT BREAKERS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

North American Breaker Co. Inc. (NABCO), of Burbank, CA, has issued a recall notice for the following consumer product, Circuit Breakers labeled as "Square D", manufactured in China. The recalled circuit breakers labeled "Square D" have been determined by Square D to be counterfeit and can fail to trip when they are overloaded, posing a fire hazard to consumers.

The counterfeit circuit breakers are black and labeled as Square D QO-series models 110, 115, 120, 130, 210, 215, 220, 225, 230, 235, 240, 250, 260, 280, 1515, 1520, 2020, 2125, 315, 340, 350, 360, and 3100. Actual Square D circuit breakers have (a) the amp rating written on the handle in white paint on the front of the breaker; (b) the Square D insignia molded onto the breaker side, and; (c) a yellow chromate mounting clip with half of the top of the clip visible. If your breaker, labeled as Square D, does not match this description, it could be counterfeit.

These counterfeit circuit breakers were sold at NABCO, electrical distributors, and retailers nationwide from March 2003 through April 2006 for between \$3 and \$85. Because of the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

Consumers should contact NABCO to determine if the breaker they have is counterfeit and to arrange for a free inspection and replacement or refund if necessary. For additional information, contact NABCO at (866) 505-5851 from 8 a.m. to 5 p.m. PT, e-mail the firm at recall@nabreaker.com, or visit the firm's Web site at <http://www.nabcorecall.com>.

Continued

To see this recall on CPSC's web site, including pictures of the recalled products, please go to:
<http://www.cpsc.gov/cpscpub/prere1/prhtml08/08151.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: January 07, 2008

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Ruth Rohloff
Purchasing Officer I
(518) 474-4576
ruth.rohloff@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – CORDLESS DRILLS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

DEWALT Industrial Tool Company, of Towson, Md. has issued a recall notice for the following consumer product, DEWALT Cordless Drills, manufactured in Mexico. The trigger switch of the cordless drill can overheat, posing a fire hazard to consumers.

This recall involves DEWALT individual cordless drills listed below:

Model Number	Description	Date Codes
DC920	Heavy-Duty XRP™ 1/2" (13mm) 18 Volt Cordless Drill/Driver	200723 through 200742
DC930	Heavy-Duty XRP™ 1/2" (13mm) 14.4 Volt Cordless Drill/Driver	200625 through 200746
DC935	Heavy-Duty XRP™ 1/2" (13mm) 14.4 Volt Cordless Hammerdrill/Drill/Driver	200627 through 200746
DC936	Heavy-Duty XRP™ 1/2" (13mm) 14.4 Volt Cordless Hammerdrill/Drill/Driver	200635 through 200746
DC940	Heavy-Duty XRP™ 1/2" (13mm) 12 Volt Cordless Drill/Driver	200635 through 200746

Continued

The model number is printed on a sticker on the side of the unit. The date code is embossed on the bottom of the unit. Units stamped with an "M" following the date code have been repaired and are not included in this recall. The packaging of repaired drills has a green dot sticker near the UPC label.

These cordless drills were sold at wholesale distributors and retailers from about June 2006 through December 2007 for between \$180 and \$280. Because of the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

Consumers should stop using the drills immediately and contact DEWALT for the location of the nearest service center to receive a free inspection and, if necessary, free repair. Call DEWALT toll-free at (888) 742-9168 between 8 a.m. and 5 p.m. ET Monday through Friday or visit firm's Web site at <http://www.dewalt.com/>

To see this recall on CPSC's web site, including pictures of the recalled products, please go to:
<http://www.cpsc.gov/cpsc/pub/prerel/prhtml08/08143.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: January 07, 2008

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Ruth Rohloff
Purchasing Officer I
(518) 474-4576
ruth.rohloff@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – LAWN MOWERS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

American Honda Motor Corp., of Torrance, Calif. has issued a recall notice for the following consumer product, Honda Walk-Behind Lawn Mowers, manufactured in The United States. The cutting blades could rotate under power when the control lever is released. The lawn mowers do not comply with mandatory federal safety standards for lawn mowers. The spinning blade poses a serious laceration hazard to consumers.

The recall involves Honda walk-behind lawn mowers with model numbers HRB217HXA, HRX217HXA and HRX217HMA. The model and serial number are printed on a label located on the upper rear of the mower deck. The lawn mowers are dark gray with a red fan cover. The following serial numbers are included in the recall:

Models	Serial Numbers
HRB217HXA	All
HRX217HXA and HRX217HMA	1000001 - 1513628

These lawn mowers were sold at Honda Lawn and Garden dealers and The Home Depot stores nationwide from January 2003 through November 2007 for between \$760 and \$900. Because of the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

Continued

Consumers should stop using these recalled lawn mowers immediately and contact any Honda Lawn and Garden dealer for a free repair. Registered owners will be mailed a direct notice.

For additional information, contact Honda at (800) 426-7701 between 8:30 a.m. and 5 p.m. ET Monday through Friday, or visit the firm's Web site at www.hondapowerequipment.com

To see this recall on CPSC's web site, including pictures of the recalled products, please go to:
<http://www.cpsc.gov/cpsc/pub/prerel/prhtml08/08140.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: December 18, 2007

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Ruth Rohloff
Purchasing Officer I
(518) 474-4576
ruth.rohloff@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – HEAT RECOVERY VENTILATORS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Venmar Ventilation Inc., of Quebec, Canada, has issued a recall notice for the following consumer product; heat recovery ventilators, manufactured in Canada. The thermal protector in these units can fail, posing a potential fire hazard to consumers.

The recall involves heat recovery ventilators made between October 2006 and August 2007, and have the following brand names and model numbers:

Brand	Models
Venmar	40225
Venmar AVS	457XX, 16016XX, 43XXX, 451XX, 45400, 45709IEH, C32042
Vane	458XX, 16016XX, 43405, 43828, 45405, 45808
Rheem, Ruud, Protech	84-ERVXXX, 84-HRVXXX
Carrier	ERVCCCLHU1200, HRVCCCLHA1250, HRVCCSVU1200, ERVCCCLHU1150, HRVCCCLHA1150, HRVCCLVU1150, HRVCCCLVU1200, HRVCCSVU1150
Bryant	ERVBBLHU1200, HRVBBLHA1250, HRVBBSVU1200
Broan	ERV200HC, HRV200H, HRV100H

Continued

These miter saws were sold at: heating, ventilating and air conditioning wholesale distributors, dealers and contractors, and building supply stores nationwide from October 2006 through December 2007 for between \$700 and \$2,500. Because of the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

Consumers should immediately turn off and unplug their ventilators. Consumers should contact Venmar Ventilation to schedule an inspection and repair.

For additional information, contact Venmar Ventilation toll-free at (866) 441-4645 between 9 a.m. and 5 p.m. CT Monday through Friday, or visit the firm's Web site at <http://www.venmar.ca/Home.aspx>

To see this recall on CPSC's web site, including pictures of the recalled products, please go to: <http://www.cpsc.gov/cpscpub/prerel/prhtml08/08136.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: November 28, 2007

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Ruth Rohloff
Purchasing Officer I
(518) 474-4576
ruth.rohloff@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – MITER SAWS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

WMH Tool Group Inc. (WMH), of Elgin, Ill., has issued a recall notice for the following consumer product; Performax and Wilton 10" Sliding Miter Saws, manufactured in China. The saw handle's switch can fail, causing the saw to smoke, spark, and trip circuit breakers, and disable the safety brake. The saw also can keep operating unless the unit is unplugged, posing a laceration hazard to consumers.

The recall includes Performax model number 90206 and Wilton model number 34570 10-inch sliding miter saws with date code/serial numbers ranging from W062505 to W070405. The model, date code/serial numbers are printed on a black label on the motor housing of the saw.

These miter saws were sold at home centers and hardware retailers nationwide from August 2006 through March 2007 for between \$150 and \$250. Because of the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

Consumers should immediately stop using these saws and call WMH to receive a replacement miter saw or a full refund.

Continued

For more information, contact WMH at (800)689-9928 between 8 a.m. and 6 p.m. ET Monday through Friday, or visit the firm's Web site at www.wmhtoolgroup.com

To see this recall on CPSC's web site, including pictures of the recalled product, please go to:
<http://www.cpsc.gov/cpsc/pub/prere1/prhtml08/08100.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: November 26, 2007

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Ruth Rohloff
Purchasing Officer I
(518) 474-4576
ruth.rohloff@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – METALUX FLUORESCENT SHOP LIGHTS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Cooper Lighting Inc., a division of Cooper Industries, of Houston, Texas, has issued a recall notice for the following consumer product; Fluorescent Shop Lights, manufactured in China. When the two prongs on the plug's electrical cord are touched simultaneously while lamps are installed, the light can pose an electric shock hazard to consumers.

This recall involves the Metalux fluorescent shop lights Model 9240. Only date codes between December 1, 2006 ("344 06") and September 14, 2007 ("257 07") are included in this recall. The date code format includes the day and the year. For example, "344 06" refers to the 344th day of year 2006, or December 1, 2006. The model number and date code can be found on the packaging and on labels adhered to the fixture housing.

The Fluorescent Shop Lights were sold at major home center and hardware stores nationwide from January 2007 to October 2007 for between \$8 and \$10. Because of the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

Consumers should stop using the light fixture immediately and uninstall it according to instructions posted at www.cooperlighting.com. The fixture should be returned to the place of purchase for a full refund or credit.

Continued

For more information, contact Cooper Lighting at (800) 440-1676 between 8 a.m. and 5 p.m. ET Monday through Friday or visit the firm's Web site at www.cooperlighting.com

To see this recall on CPSC's web site, including pictures of the recalled product, please go to: <http://www.cpsc.gov/cpsc/pub/prere1/prhtml08/08089.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.

New York State Office Of General Services
Procurement Services Group
Corning Tower Building
Empire State Plaza
Albany, New York 12242
<http://www.ogs.state.ny.us>

PURCHASING MEMORANDUM

PRODUCT RECALL NOTICE

AWARD NUMBER: [20304 - RA-RM-E*](#)

DATE: November 06, 2007

GROUP: 39000 - INDUSTRIAL & COMMERCIAL
SUPPLIES AND EQUIPMENT

**PLEASE ADDRESS INQUIRIES TO:
STATE AGENCIES & CONTRACTORS**

Ruth Rohloff
Purchasing Officer I
(518) 474-4576
ruth.rohloff@ogs.state.ny.us

CONTRACT PERIOD: 10/01/2007 to 09/30/2012

OTHER AUTHORIZED USERS

Customer Services
(518) 474-6717
customer.services@ogs.state.ny.us

SUBJECT: RECALL NOTICE – COUNTERFEIT SQUARE D CIRCUIT BREAKERS

TO ALL STATE AGENCIES AND OTHERS AUTHORIZED TO USE STATE CONTRACTS:

Connecticut Electric & Switch Mfg. Co. (Connecticut Electric), of Puyallup, Wash., has issued a recall notice for the following consumer product; counterfeit "Square D" circuit breakers, manufactured in China. The recalled circuit breakers labeled "Square D" are counterfeit and could fail to trip when they are required to, posing a fire hazard to consumers.

The counterfeit circuit breakers are black and are marked as Square D products. Connecticut Electric has identified the following breakers as possibly being counterfeit: QO115, QO120, QO140, QO2125, QO215, QO220, QO230, QO240, QO250, QO260, QO1515, QO2020, QO3100, QO320, QO330, QO340, QO360, QOB120, QOB130, QOB220, QOB230, QOB250, QOB330, and QOB360. Actual Square D circuit breakers have (a) the amp rating written on the handle in white paint on the front of the breaker; (b) the Square D insignia molded onto the breaker side, and; (c) a yellow chromate-mounting clip with half of the top of the clip visible. If your Square D breaker does not match this description, it could be counterfeit.

The circuit breakers were sold through electrical distributors and hardware stores nationwide from February 2005 through August 2006 for between about \$6.50 and \$15.50. Because of the period in which the items were sold, if purchased, it would have been under the previous Award 4513G/4513A-G.

Consumers should contact Connecticut Electric to determine if the breaker they have is counterfeit and if necessary, to arrange for a free inspection and replacement or refund.

Continued

For more information, call Connecticut Electric at (866) 264-3702 from 8 a.m. to 5 p.m. ET Monday through Friday or visit the company's Web site at www.connecticut-electric.com. Consumers also can obtain additional information by emailing Connecticut Electric at bdunham@connecticut-electric.com.

To see this recall on CPSC's web site, including pictures of the recalled product, please go to:
<http://www.cpsc.gov/cpscpub/prerel/prhtml08/08054.html>

State agencies and others authorized by law to use State contracts may have purchased this product under the Industrial and Commercial Supplies and Equipment term contract.
